

**THULE**<sup>®</sup>  
SWEDEN

# › The snow chain that gets you there!

2013 - 2014



Bring your life  
[thule.com](http://thule.com)






<b>Cars</b>	<b>4</b>
Technology and features	6
Thule Easy-fit CU-9	8
Thule Easy-fit CU-10	9
Thule K-Summit	10
Thule CK-7	11
Thule CS-9 / CS-10	12
Thule CL-10	13
Thule CG-9 / CG-10	14
Thule CD-9 / CB-12	15
Technical information	16

<b>SUVs</b>	<b>18</b>
Technology and features	20
Thule Easy-fit SUV	22
Thule K-Summit XL / XXL	23
Thule XG-12 Pro	24
Thule XS-16	25
Thule XD-16 / XB-16	26
Technical information	27

<b>Commercial Vehicles and Motor Homes</b>	<b>28</b>
Technology and features	30
Thule XG-12 Pro / XS-16	31
Thule XD-16 / XB-16	32
Technical information	33

<b>Fitting guide</b>	<b>34</b>
----------------------	-----------

For more info visit [www.thule.com](http://www.thule.com)

				
	TRADITIONAL	SMART	EXCLUSIVE	
With limited space around the wheel arch	CK-7		K-SUMMIT FAMILY	EASY-FIT SUV
			CS-9 CS-10 XS-16	CU-9 / CU-10
		CL-10 XG-12 PRO		
With no wheel arch space problems		CG-9 CG-10		
	CD-9 XD-16			
	CB-12 XB-16			

- Easy to fit/remove +

+ Technical features  
-

## > Thule Easy-fit family

### Thule Easy-fit CU-9



### Thule Easy-fit CU-10



### Thule Easy-fit SUV



**12 seconds  
only to fit it.**



**Fitting step 1**  
Take the two ends of the rigid arch and open it.



**Fitting step 2**  
Lay the chain on the tyre, starting from the top and making sure the arch is completely behind the wheel.



**Fitting step 3**  
Open out the pedal and push down with your foot until you hear it click. Close the pedal and start the engine. The chain will automatically slip around the tyre as soon as the car moves off.



## ➤ Easy, quick and intuitive.

On the basis of our ongoing research, we have extended our Easy-fit technology, resulting in the exclusive range of Easy-fit snow chains. A combination of innovation, design, safety and fast fitting available in three different versions: two versions for cars, 9 and 10 mm, and one version for SUVs, in order to cover all your needs. Whatever car you are driving, today you can choose the easiest, fastest and most user-friendly snow chains!

FOR MORE INFO ABOUT EACH MODEL, PLEASE GO TO PAGE 8, 9 AND 22.

## Thule Easy-fit a snow chain record!

81 chains fitted in 1 minute by 12 people: this is the amazing Guinness World Record held by Thule Easy-fit! In recent years, this successful chain has received several awards for design and innovation, becoming the most award-winning snow chain on the market.





➤ Car











## ➤ **When choosing snow chains for your car, the fitting system makes all the difference.**

Discover our snow chains one after the other and you will be spoiled for choice: the fitting and release systems will guide you. A rigid arch fitting system with pedal, the fastest and most user-friendly external fitting, for cars with little space behind the tyre, or the more traditional cable fitting. Safety while travelling on snow-covered roads and an easy-to-use chain will leave you free to take part in your favourite winter sport.





## FEATURES

- 1** Rigid arch fitting system: makes fitting the chain very natural, from the top to the bottom of the wheel.
- 2** External fitting system: the Thule K-Summit model attaches to one of the original wheel lug nuts and there's no need to fit additional elements to the wheel.
- 3** Flexible cable fitting system: the flexible cable allows you to fit the chain from the bottom to the top of the wheel.
- 4** Easy-fit release system: just press the two red buttons at the same time and release the safety catch, and the chain comes away.
- 5** Automatic release system: just pull on the red release catch on the outside of the tyre and the chain comes off on its own.






## Thule Easy-fit CU-9

Easy, intuitive and quick: 12 seconds only to fit it. Thule Easy-fit is the fastest chain in the world, the only one holding Guinness World Record. One stop only, 3 easy steps to fit it and drive.

### FEATURES

- 9 mm inside and on-the-tread clearance.
- 1 Thin pattern chain for greater driving comfort made in special steel. 2 Aluminum central bar with integrated automatic tensioning system activated by foot.
- 3 Internal rigid arch system. 4 Steel welded bars with special S shape. 5 External release system.
- 6 Anti-scratch nylon bumpers protect alloy wheels (optional application). ■ Practical and durable bag, with built-in instructions. ■ Clearly visible red details make fitting and removal easier. ■ Not for off-road use.

FOR TECHNICAL INFO GO TO PAGE 16.  
FOR MOUNTING INSTRUCTIONS GO TO PAGE 3.







## Thule Easy-fit CU-10

New chain model with 10 mm clearance in the Easy-fit family: quick to fit and with excellent performance on snow!




### FEATURES

- 10 mm inside and on-the-tread clearance. **1** Asymmetrical pattern chain made in special steel, with icebreaker reinforcements for better grip on ice and snow. **2** Aluminum central bar with redesigned side chain tensioning system. **3** Internal rigid arch system. **4** Steel welded bars with special S shape. **5** External release system. **6** Anti-scratch nylon bumpers protect alloy wheels (optional application). ■ Practical and durable bag, with built-in instructions. ■ Clearly visible red details make fitting and removal easier. ■ Not for off-road use.

FOR TECHNICAL INFO GO TO PAGE 16.  
FOR MOUNTING INSTRUCTIONS GO TO PAGE 3.




### With your Thule Easy-fit



#### Bag-rug with instructions

The chain is kept in an elegant nylon bag, which opens out into a practical rug, useful during fitting. The fitting instructions are clearly printed on the inside of the bag so they are easily visible during fitting.







## Thule K-Summit


The smartest external chain for passenger cars, ideal for cars with limited space between the wheel and internal parts. Not for off-road uses.

### FEATURES


- 0 mm clearance behind the wheel. ■ Fitted on the original nut/bolt of the wheel (not the anti-theft one). **1** Innovative ratchet system which acts as force multiplier and permits effortless fitting.
- 2** Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain. **3** Tensioning springs decrease dynamic elevation and enable perfect fitting on several tyre sizes. Welded bars provide better grip and performance on ice and snow. **4** Foldable arms. ■ No contact with alloy rims.
- Each Thule K-Summit size covers a wide range of tyres.
- Innovative design in line with the latest car models.



**Fitting step 1**  
Put two of the plastic plates over the tyre.



**Fitting step 2**  
Attach the fixing system to one of the wheel nuts, and screw on with the tool.



**Fitting step 3**  
Activate the ratchet system to make the chain move toward the rim. The chain will slip automatically onto the tyre when the wheel rotates.

FOR TECHNICAL INFO GO TO PAGE 16.



### With your Thule K-Summit




#### Adapters

Adapters for bolt/nut 17, 19, 21 and 22 mm.




#### Thule K-Summit bag

A pair of snow chains contained in a practical and elegant nylon bag.



**Thule K-Summit ideal for cars with limited space between the wheel and internal parts.**







## Thule CK-7

The thinnest snow chain in the world, guaranteed 7 mm inside and on-the-tread clearance, ideal for cars with space problems between the wheel and the wheel arch.

### FEATURES


- 7 mm inside and on-the-tread clearance. **1** Special twisted links, reduced chain thickness to 7 mm. ■ Special steel tread.
- Manual tensioning system: keeps the chain tightened while driving. **2** Micro-regulation system for perfect tensioning of the chain. **3** Closed shortening hooks avoid coils on the chain.
- **4** Anti-scratch nylon bumpers protect the alloy wheels (optional application).



FOR TECHNICAL INFO GO TO PAGE 16.



### Recommended by car manufacturers



**Thule CK-7 is often suggested by car manufacturers as a solution for vehicles with problems in snow chain fitting:**

Citroën C4 Picasso, Citroën C3 Picasso, Fiat Bravo, Lancia Delta, Peugeot 1007, Peugeot 207, Peugeot 308, Renault Laguna II, Renault Laguna III, Seat Exeo.







## Thule CS-9 Thule CS-10

Smart chains with 9 and 10 mm clearance, self-tensioning system and automatic release.

### FEATURES

- 9/10 mm inside and on-the-tread clearance.
- Special steel tread. **1** External quick release system: remove the snow chain by pulling on the external device.
- 2** Self-tensioning system: just one stop to fit the chain.
- 3** Micro-regulation system for a perfect tensioning of the chain. **4** Anti-scratch nylon bumpers protect alloy wheels (optional application). **5** Only Thule CS-10 asymmetrical diamond pattern chain with icebreaker reinforcements - the best grip on snow and ice.



FOR TECHNICAL INFO GO TO PAGE 16.







## Thule CL-10


The self-tensioning chain with icebreaker reinforcements and excellent performance.

### FEATURES

- 10 mm inside and on-the-tread clearance.
- Special steel tread. **1** Self-tensioning system: just one stop to fit the chain. **2** Asymmetrical diamond pattern chain with icebreaker reinforcements - the best grip on snow and ice. **3** Micro-regulation system for perfect tensioning of the chain.
- **4** Anti-scratch nylon bumpers protect alloy wheels (optional application).



FOR TECHNICAL INFO GO TO PAGE 16.








## Thule CG-9 Thule CG-10

9 or 10 millimetre self-tensioning chains.

### FEATURES

- 9/10mm inside and on-the-tread clearance.
- Special steel tread. **1** Self-tensioning system: just one stop to fit the chain. **2** Micro-regulation system for perfect tensioning of the chain.
- **3** Anti-scratch nylon bumpers protect alloy wheels (optional application).

FOR TECHNICAL INFO GO TO PAGE 16.



## Thule CD-9

The high-tech manual tensioning chain.

### FEATURES

- 9 mm inside and on-the-tread clearance.
- Special steel tread. **1** Manual tensioning system: one stop to fit the chain and one to tighten it.
- 2** Micro-regulation system for perfect tensioning of the chain. **3** Closed shortening hook avoids coils on the chain.
- 4** Anti-scratch nylon bumpers protect alloy wheels (optional application).

FOR TECHNICAL INFO GO TO PAGE 16.



## Thule CB-12

The simple and sturdy manual tensioning chain.

### FEATURES

- 12 mm inside and on-the-tread clearance.
- 1** Manual tensioning system: one stop to fit the chain and one to tighten it. **2** Closed shortening hook avoids coils on the chain. **3** Locking device with wheel protections.

FOR TECHNICAL INFO GO TO PAGE 16.








## Additional info for all passenger car snow chains



### Homologations

Homologations in line with European and American requirements.



### Warranty

All Thule chains come with a 5 years guarantee.



## Packaging info for all Thule snow chains



**1** Packaging label. On each package you will find the following info: **A** chain name, **B** category, **C** technical features, **D** product picture, **E** homologations, **F** type of vehicle and clearance, **G** warranty, **H** QR code to see the fitting video on your smartphone.

**2** Chain size label. Every pack has a supplementary label with the chain size and the tyre sizes that can be fitted. **3** Chain size. But just in case you misplace the label or forget the size of the chain, all chains have the chain group printed on the red hook positioned on the outside of the chain.

**4** K-Summit models have the chain size engraved inside one off the plastic plates. **5** Easy-fit models have the chain size engraved on the rigid arch (first 3 digits). **6** Inside the pack you'll find: a pair of snow chains, plastic gloves, kneeling mat, mounting instructions, spare parts, anti-scratch nylon bumpers (where provided).

## Snow chains for cars

Name

Category

Art. No.

Internal clearance mm

Rigid arch fitting

External fitting

Flexible cable fitting system

External quick release

Self tensioning (1 stop for fitting)

Manual tensioning (2 stops for fitting)

Micro-regulation

Icebreaker reinforcements

Alloy rim protection

ABS/ESP compatible

## Product name

Chain sizes



F CAR

SUV

VAN & RV

Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Summit	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12
2004115...	2004135...	20045057..	20044005...	2004105...	2004125...	2004255...	2004205...	2004235...	2004305...	2004365...
9	10	0	7	9	10	10	9	10	9	12
•	•									
		•								
			•	•	•	•	•	•	•	•
				•	•					
•	•	•		•	•	•	•	•		
			•						•	•
•	•		•	•	•	•	•	•	•	
	•				•	•				
•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•

Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Summit	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12
		K11							010	
		K12							015	
		K22				020	020	020	020	020
		K23				030	030	030	030	030
		K33				035	035	035	035	
		K34				040	040	040	040	040
		K44		045		045	045	045	045	
050	050	K45		050	050	050	050	050	050	050
055	055			055	055	055	055	055	055	
060	060		060	060	060	060	060	060	060	060
065	065		065	065	065	065	065	065	065	065
070	070		070	070	070	070	070	070	070	070
075	075		075	075	075	075	075	075	075	
080	080		080	080	080	080	080	080	080	080
			085	085	085					
090	090		090	090	090	090	090	090	090	090
095	095		095	095	095	095	095	095	095	095
097	097		097	097	097	097	097	097	097	097
100	100		100	100	100	100	100	100	100	100
102	102		102	102	102	102	102	102	102	102
103	103		103	103	103	103	103	103	103	
104	104		104	104	104	104	104	104	104	104
	105				105	105	105	105		
							106			
							107			
							117			



# > SUV












## ➤ **Fitting and tensioning: how to choose the right snow chains for your SUV.**

With the addition of Easy-fit to snow chains for SUVs, the Thule range is now complete in this category as well. Thanks to the various fitting and tensioning systems, you can find your tailor-made solution, smart and exclusive, especially developed for your SUV and for use in the snow. Along with your snowboard, remember to bring your smartphone, as the QR code printed on the packages will help you with the fitting.







## FEATURES

**1** Rigid arch fitting system: makes fitting the chain very natural, from the top to the bottom of the wheel. **2** External fitting system: the Thule K-Summit model attaches to one of the original wheel lug nuts and there's no need to fit additional elements to the wheel. **3** Flexible cable fitting system: the flexible cable allows you to fit the chain from the bottom to the top of the wheel. **4** Foot activated tensioning system: simply open out the built-in pedal from the central bar and press down with your foot to activate the self-tensioning system. The chain will automatically slip around the tyre as soon as the car moves off. **5** Self-tensioning system with micro regulation: the chain slips around the tyre as soon as the car moves off, and with the micro regulation system, the tension is perfect. **6** Manual tensioning system: one stop to fit the chain and one to tighten it.





## Thule Easy-fit SUV

The fastest snow chain to fit in the world, now available for SUVs even with clearance problems.

### FEATURES


- 10 mm inside and on-the-tread clearance. **1** Asymmetrical pattern chain made in special steel, with icebreaker reinforcements for better performance and improved driving comfort.
- **2** Aluminum central bar with redesigned side chain tensioning system specially developed for SUVs. **3** Internal rigid arch system.
- **4** Steel welded bars with special S shape. **5** External release system.
- **6** Anti-scratch nylon bumpers protect alloy wheels (optional application).
- Practical and durable bag, with built-in instructions.
- Clearly visible red details make fitting and removal easier.
- Not for off-road use.



FOR TECHNICAL INFO GO TO PAGE 27.  
FOR MOUNTING INSTRUCTIONS GO TO PAGE 3.



### With your Thule Easy-fit SUV



#### Bag-rug with instructions

The chain is kept in an elegant nylon bag, which opens out into a practical rug, useful during fitting. The fitting instructions are clearly printed on the inside of the bag so they are easily visible during fitting.





## Thule K-Summit XL Thule K-Summit XXL

The external chains for crossovers and SUVs.  
Thule K-Summit XL for SUVs and Crossovers max 2,000 kilos of empty weight. Thule K-Summit XXL for SUVs over 2,000 kilos of empty weight. Not for off-road use.

### FEATURES

- 0 mm clearance behind the wheel. ■ Fitted on the original nut/bolt of the wheel (not the anti-theft one). **1** Innovative ratchet system which acts as force multiplier and permits effortless fitting.
- 2** Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain. **3** Tensioning springs decrease dynamic elevation and enable perfect fitting on several tyre sizes. Welded bars provide better grip and performance on ice and snow. **4** Foldable arms. ■ No contact with alloy rims.
- Each Thule K-Summit size covers a wide range of tyres.
- Innovative design in line with the latest car models.



FOR TECHNICAL INFO GO TO PAGE 27.  
FOR MOUNTING INSTRUCTIONS GO TO PAGE 10.



### With your Thule K-Summit XL and XXL



#### K-Summit XL adapters

Adapters for bolt/nut  
17, 19, 21 mm.

#### K-Summit XXL adapters

Adapters for bolt/nut  
17, 19, 21 mm and 22 mm.




#### Thule K-Summit XL bag

A pair of snow chains  
contained in a practical  
and elegant nylon bag.



#### Thule K-Summit XXL bag

A pair of snow chains  
contained in a practical  
and elegant nylon bag.







## Thule XG-12 Pro


The quick fitting snow chain for SUVs, with limited clearance of only 12 mm, providing superior driving comfort and top performances.

### FEATURES

- 12 mm inside and on-the-tread clearance.
- Special steel tread. **1** Self-tensioning system: just one stop to fit the chain. **2** Special pattern chain design with welded double-traction plates to increase grip and performance on snow.
- **3** Micro-regulation system for a perfect tensioning of the chain.
- **4** Anti-scratch nylon bumpers protect the alloy wheels (optional application).



FOR TECHNICAL INFO GO TO PAGE 27.





## Thule XS-16

The 16 mm self-tensioning snow chain with automatic release: excellent grip on ice and snow.

### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread. **1** External quick release system: remove the snow chain by pulling on the external device.
- 2** Self-tensioning system: just one stop to fit the chain.
- 3** Micro-regulation system for perfect tensioning of the chain.
- 4** Anti-scratch nylon bumpers protect alloy wheels (optional application).

FOR TECHNICAL INFO GO TO PAGE 27.





## Thule XD-16

The 16 mm manually tensioned snow chain with micro-regulation: convenience and performance on snow.

### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread with high numbers of cross chains.
- 1 Manual tensioning system: one stop to fit the chain and one to tighten it.
- 2 Micro-regulation system.
- 3 Anti-scratch nylon bumpers protect alloy wheels (optional application).
- 4 Double spring: holds the chain tight against the tyre and makes it adaptable to several kinds of tyres.
- Closed shortening hooks avoid coils on the chain.
- Suitable even for muddy ground.

FOR TECHNICAL INFO SEE THE FACING PAGE.



## Thule XB-16

The 16 mm manually tensioned snow chain: value for money and reliability.

### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread.
- 1 Manual tensioning system: one stop to fit the chain and one to tighten it.
- 2 Closed shortening hooks avoid coils on the chain.
- 3 Locking device with wheel protections.
- Suitable even for muddy ground.

FOR TECHNICAL INFO SEE THE FACING PAGE.



## Snow chains for SUVs



Name	Thule Easy-fit SUV	Thule K-Summit XL	Thule K-Summit XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
Category							
Art. No.	2004735...	20045357..	20045657..	2004705...	2004605...	2004805...	2004825...
Internal clearance mm	10	0	0	12	16	16	16
Rigid arch fitting	•						
External fitting		•	•				
Flexible cable fitting system				•	•	•	•
External quick release					•		
Self tensioning (1 stop for fitting)	•	•	•	•	•		
Manual tensioning (2 stops for fitting)						•	•
Micro-regulation	•			•	•	•	
Icebreaker reinforcements	•						
Alloy rim protection	•	•	•	•	•	•	
ABS/ESP compatible	•	•	•	•	•	•	•

## Product name

Product name	Thule Easy-fit SUV	Thule K-Summit XL	Thule K-Summit XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
Chain sizes		K55	K66			190	
		K56	K67			200	
			K77	210	210	210	210
				220	220	220	220
	225			225	225	225	225
				227		227	227
	230			230	230	230	230
	235			235	235	235	235
	240			240	240	240	240
	245			245	245	245	245
	247			247	247	247	247
	250			250	250	250	250
	255			255	255	255	255
	265			265	265	265	265
					266	266	
	267			267	267	267	267




## Additional info for all SUV snow chains



### Homologations

Homologations in line with European and American requirements.



### Warranty

All Thule chains come with a 5 years guarantee.





# > Commercial Vehicles and Motor Homes









## ➤ The best combination of easy fitting and great performance.

For people like you, who travel in the wintertime with a commercial vehicle or with an RV, snow chains are a must. Choosing the right snow chains means having useful, safe and reliable companions when you're on the road in the winter, so that you can reach your destination without encountering problems or wasting time. Thule snow chains provide the right answer to all your needs. All Thule snow chains are synonymous with extremely high quality.

### FEATURES

- 1** Self-tensioning system with micro regulation: the chain slips around the tyre as soon as the car moves off, and with the micro regulation system, the tension is perfect.
- 2** Manual tensioning system: one stop to fit the chain and one to tighten it.



## Thule XG-12 Pro

The snow chain with automatic tensioning, ideal for motor homes and commercial vehicles with limited clearance.

### FEATURES

- 12 mm inside and on-the-tread clearance.
- Special steel tread. **1** Self-tensioning system with micro-regulation system. **2** Special pattern chain design with welded double-traction plates. ■ Snow chain with reduced pitch for greater weight distribution and better adaptability to different tyre measurements.
- **3** Anti-scratch nylon bumpers protect alloy wheels (optional application).

FOR TECHNICAL INFO GO TO PAGE 33.



## Thule XS-16

The snow chain quickest to fit and remove.


### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread. **1** External quick release system. **2** Self-tensioning system. ■ Micro-regulation system.
- Excellent grip on ice and snow. **3** Anti-scratch nylon bumpers protect alloy wheels (optional application).

FOR TECHNICAL INFO GO TO PAGE 33.








## Thule XD-16

The manual tensioning chain for heavy duty use.

### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread with large numbers of cross chains.
- Manual tensioning system: one stop to fit the chain and one to tighten it. **1** Micro-regulation system.
- 2** Anti-scratch nylon bumpers protect alloy wheels (optional application). **3** Double spring: holds the chain tight against the tyre and makes it adaptable to several kinds of tyres. ■ Closed shortening hooks avoid coils on the chain. ■ Suitable even for muddy ground.

FOR TECHNICAL INFO SEE THE FACING PAGE.




## Thule XB-16

The classic manual tensioning chain for light or medium duty usage.


### FEATURES

- 16 mm inside and on-the-tread clearance.
- Special steel tread. ■ Manual tensioning system: one stop to fit the chain and one to tighten it.
- 1** Closed shortening hooks avoid coils on the chain.
- 2** Locking device with wheel protections.
- Suitable even for muddy ground.


FOR TECHNICAL INFO SEE THE FACING PAGE.



## Snow chains for commercial vehicles and motor homes



## What you should know before you choose the right snow chain



**1** Consult your vehicle “Use and Maintenance” manual and check instructions on fitting snow chains. **2** Remember that snow chains must always be fitted on the driving wheels. If your vehicle is 4WD, check the “Use and Maintenance” manual. **3** The 3 measurements of the tyre: the 1<sup>st</sup> indicates the width, the 2<sup>nd</sup> the aspect ratio and the 3<sup>rd</sup> the diameter of the rim expressed in inches.

Name	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
Category				
Art. No.	2004705...	2004605...	2004805...	2004825...
Internal clearance mm	12	16	16	16
Flexible cable fitting system	•	•	•	•
External quick release		•		
Self tensioning (1 stop for fitting)	•	•		
Manual tensioning (2 stops for fitting)			•	•
Micro-regulation	•	•	•	
Alloy rim protection	•	•	•	
ABS/ESP compatible	•	•	•	•

Product name	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16	
Chain sizes			190		
			200		
		210	210	210	210
		220	220	220	220
		225	225	225	225
		227		227	227
		230	230	230	230
		235	235	235	235
		240	240	240	240
		245	245	245	245
		247	247	247	247
		250	250	250	250
		255	255	255	255
		265	265	265	265
			266	266	
		267	267	267	267




## Additional info for all snow chains for commercial vehicles and motor homes



### Homologations

Homologations in line with European and American requirements.



### Warranty

All Thule chains come with a 5 years guarantee.





Tyre size	Inches	Passenger Cars										SUVs			SUVs - Commercial Vehicles - Motor Homes							
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16			
6.70-	14																	220	220	220	220	
7.00-																			210	210	210	210
7.50-																			230	230	230	230
135/80-									030	030	030	030	030									
145/80-									040	040	040	040	040									
155/80-			050	050			050	050	050	050	050	050	050									
165/80-			060	060		060	060	060	060	060	060	060	060								190	
175/80-			070	070	K23	070	070	070	070	070	070	070	070								200	
185/80-			080	080	K33	080	080	080	080	080	080	080	080					210	210	210	210	
195/80-			090	090	K34	090	090	090	090	090	090	090	090					220	220	220	220	
205/80-					K44													225	225	225	225	
215/80-					K45													230	230	230	230	
165/75-			060	060		060	060	060	060	060	060	060	060								190	
175/75-			065	065		065	065	065	065	065	065	065	065								190	
185/75-					K23													210	210	210	210	
195/75-					K33													220	220	220	220	
205/75-					K34													225	225	225	225	
215/75-					K44													230	230	230	230	
225/75-					K45																	
155/70-									040	040	040	040	040									
165/70-			050	050			050	050	050	050	050	050	050									
175/70-			060	060	K12	060	060	060	060	060	060	060	060									
185/70-			065	065	K22	065	065	065	065	065	065	065	065									
195/70-			080	080	K22	080	080	080	080	080	080	080	080					210	210	210	210	
205/70-			090	090	K23	090	090	090	090	090	090	090	090									
215/70-			100	100	K33	100	100	100	100	100	100	100	100									
225/70-				K34																		
235/70-				K44																		
155/65-								035	035	035	035											
165/65-								040	040	040	040	040										
175/65-		050	050			050	050	050	050	050	050	050										
185/65-		060	060	K11	060	060	060	060	060	060	060	060								190		
195/65-		070	070	K12	070	070	070	070	070	070	070	070										
205/65-		080	080	K22	080	080	080	080	080	080	080	080										
215/65-				K23																		
165/60-								035	035	035	035											
175/60-						045		045	045	045	045											
185/60-		050	050			050	050	050	050	050	050	050										
195/60-		060	060	K11	060	060	060	060	060	060	060	060										
205/60-		070	070	K12	070	070	070	070	070	070	070	070										
215/60-				K12																		
225/60-				K22	085	085	085															
235/60-		095	095	K23	095	095	095	095	095	095	095	095										
245/60-				K33																		
265/60-				K34																		
165/55-								035	035	035	035											
185/55-						045		045	045	045	045											
195/55-		050	050			050	050	050	050	050	050	050										
205/55-		065	065		065	065	065	065	065	065	065	065										
215/55-				K11																		
225/55-		080	080	K12	080	080	080	080	080	080	080	080										
175/50-								030	030	030	030	030										
8.40-	15																	247	247	247	247	
9-																			250	250	250	250
10-																			255	255	255	255
6.40-																			210	210	210	210
6.70-																			230	230	230	230
7.00-																			240	240	240	240
7.50-																			250	250	250	250
175/80-					K34																	
185/80-					K44														220	220	220	220
195/80-					K45	100	100	100	100	100	100	100	100	225				225	225	225	225	
205/80-																						
215/80-																			240	240	240	240
225/80-																						
175/75-					K23																	
185/75-					K33																	

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)



Tyre size	Inches	Passenger Cars											SUVs			SUVs - Commercial Vehicles - Motor Homes			
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
195/75-	15	095	095	K34	095	095	095	095	095	095	095	095				225	225	225	225
205/75-				K44									225			225	225	225	225
215/75-				K45									230			230	230	230	230
225/75-													240	K55	K66	240	240	240	240
235/75-													245	K56	K66	245	245	245	245
245/75-															K67				
255/75-													255		K77	255	255	255	255
265/75-																255	255	255	255
135/70-								030	030	030	030	030							
155/70-		050	050			050	050	050	050	050	050	050							
175/70-		070	070	K22	070	070	070	070	070	070	070	070							
185/70-		080	080	K23	080	080	080	080	080	080	080	080							
195/70-		090	090	K33	090	090	090	090	090	090	090	090				220	220	220	220
205/70-				K34	095	095	095	095	095	095	095	095	225			225	225	225	225
215/70-		100	100	K44	100	100	100	100	100	100	100	100				227	227	227	227
225/70-				K45									230			230	230	230	230
235/70-					104	104	104	104	104	104	104	104	240	K55		240	240	240	240
245/70-														K56	K66				
255/70-															K66	247	247	247	247
265/70-															K67	250	250	250	250
145/65-								035	035	035	035								
155/65-						045		045	045	045	045								
165/65-		055	055			055	055	055	055	055	055								
175/65-		060	060	K12	060	060	060	060	060	060	060	060							
185/65-		070	070	K22	070	070	070	070	070	070	070	070							
195/65-		080	080	K23	080	080	080	080	080	080	080	080							
205/65-		090	090	K33	090	090	090	090	090	090	090	090				220	220	220	220
215/65-		095	095	K34	095	095	095	095	095	095	095	095				225	225	225	225
225/65-		100	100	K34	100	100	100	100	100	100	100	100							
165/60-		050	050			050	050	050	050	050	050	050							
175/60-		055	055	K11		055	055	055	055	055	055								
185/60-		065	065	K12	065	065	065	065	065	065	065	065							
195/60-		070	070	K22	070	070	070	070	070	070	070	070							
205/60-		080	080	K22	080	080	080	080	080	080	080	080							
215/60-		090	090	K23	090	090	090	090	090	090	090	090							
225/60-		095	095	K33	095	095	095	095	095	095	095	095							
235/60-		100	100	K34	100	100	100	100	100	100	100	100							
245/60-				K44															
255/60-				K44												240	240	240	240
275/60-														K55					
165/55-								040	040	040	040	040							
175/55-		050	050			050	050	050	050	050	050	050							
185/55-		060	060	K11	060	060	060	060	060	060	060	060							
195/55-		065	065	K11	065	065	065	065	065	065	065	065							
205/55-		075	075	K12	075	075	075	075	075	075	075	075							
215/55-				K22															
225/55-		090	090	K22	090	090	090	090	090	090	090	090							
235/55-		095	095	K23	095	095	095	095	095	095	095	095							
275/55-				K44															
165/50-								030	030	030	030	030							
175/50-						045		045	045	045	045								
195/50-		060	060		060	060	060	060	060	060	060	060							
205/50-		065	065	K11	065	065	065	065	065	065	065	065							
215/50-		075	075	K11	075	075	075	075	075	075	075	075							
225/50-				K12	085	085	085												
235/50-				K22															
245/50-				K22															
265/50-				K33															
275/50-				K33															
285/50-				K34															
295/50-				K44															
195/45-		050	050			050	050	050	050	050	050	050							
225/45-				K11															
235/45-				K11															
245/45-				K12															
255/45-				K12															
265/45-				K22															

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)





Tyre size	Inches	Passenger Cars											SUVs			SUVs - Commercial Vehicles - Motor Homes			
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
255/55-16	16			K44															
185/50-		060	060	K11	060	060	060	060	060	060	060	060							
195/50-		070	070	K12	070	070	070	070	070	070	070	070							
205/50-		075	075	K12	075	075	075	075	075	075	075	075							
215/50-		090	090	K22	090	090	090	090	090	090	090	090							
225/50-		095	095	K23	095	095	095	095	095	095	095	095							
235/50-		100	100	K23	100	100	100	100	100	100	100	100							
245/50-				K33															
255/50-				K34															
265/50-				K34															
295/50-				K45															
195/45-		060	060		060	060	060	060	060	060	060	060							
205/45-		065	065	K11	065	065	065	065	065	065	065	065							
215/45-		075	075	K12	075	075	075	075	075	075	075	075							
225/45-				K12	085	085	085												
235/45-				K22															
245/45-		100	100	K22	100	100	100	100	100	100	100	100							
255/45-				K23															
215/40-		065	065		065	065	065	065	065	065	065	065							
225/40-				K11															
245/40-				K12															
255/40-				K12															
265/40-				K22															
275/40-				K22															
255/35-				K11															
6.50-	17																	245	245
225/75-																			245
235/75-																		245	245
245/75-													267				267	267	267
255/75-																	266	266	266
185/70-				K45															
205/70-																			
215/70-														K55	K66				
225/70-													247	K56	K66				
235/70-															K67	247	247	247	247
245/70-															K67	250	250	250	250
255/70-															K77	255	255	255	255
265/70-															K77				
265/70-													267			267	267	267	267
185/65-				K34															
205/65-				K45															
215/65-																			
225/65-													245	K55	K66	245	245	245	245
235/65-													247	K56	K66	247	247	247	247
245/65-													250		K67	250	250	250	250
255/65-													255		K67	255	255	255	255
265/65-													265		K77	265	265	265	265
275/65-															K77	267	267	267	267
285/65-																266	266		
185/60-				K33															
205/60-				K44															
215/60-		103	103	K44	103	103	103	103	103	103	103	103	235			235	235	235	235
225/60-		104	104	K45	104	104	104	104	104	104	104	104	240			240	240	240	240
235/60-													245	K55		245	245	245	245
245/60-																			
255/60-													255	K56	K66	255	255	255	255
265/60-															K67				
275/60-															K67	265	265	265	265
285/60-															K77				
175/55-				K22															
205/55-		097	097	K33	097	097	097	097	097	097	097	097							
215/55-		100	100	K34	100	100	100	100	100	100	100	100							
225/55-		103	103	K44	103	103	103	103	103	103	103	103				235	235	235	235
235/55-		104	104	K45	104	104	104	104	104	104	104	104	240			240	240	240	240
245/55-			105	K45															
255/55-																			
275/55-															K55		247	247	247
205/50-		090	090	K23	090	090	090	090	090	090	090	090		K56	K66	255	255	255	255

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)

Tyre size	Inches	Passenger Cars										SUVs			SUVs - Commercial Vehicles - Motor Homes				
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
215/50-	17	095	095	K33	095	095	095	095	095	095	095	095							
225/50-		100	100	K33	100	100	100	100	100	100	100	100				227		227	227
235/50-		102	102	K34	102	102	102	102	102	102	102	102							
245/50-				K44															
255/50-				K44															
275/50-														K55					
195/45-				K12															
205/45-		080	080	K22	080	080	080	080	080	080	080	080							
215/45-		090	090	K22	090	090	090	090	090	090	090	090							
225/45-		095	095	K23	095	095	095	095	095	095	095	095							
235/45-		100	100	K23	100	100	100	100	100	100	100	100							
245/45-		102	102	K33	102	102	102	102	102	102	102	102							
255/45-		104	104	K34	104	104	104	104	104	104	104	104							
265/45-				K34															
275/45-				K44															
195/40-				K11															
205/40-		070	070	K11	070	070	070	070	070	070	070	070							
215/40-		080	080	K12	080	080	080	080	080	080	080	080							
225/40-				K12															
235/40-		090	090	K22	090	090	090	090	090	090	090	090							
245/40-		097	097	K23	097	097	097	097	097	097	097	097							
255/40-		102	102	K23	102	102	102	102	102	102	102	102							
265/40-				K23	102	102	102	102	102	102	102	102							
275/40-				K33	104	104	104	104	104	104	104	104							
285/40-				K34															
295/40-				K34															
225/35-		075	075	K11	075	075	075	075	075	075	075								
245/35-				K12															
255/35-				K12															
265/35-				K22															
275/35-				K22															
7-	17.5															240	240	240	240
8-																250	250	250	250
205/75-																247	247	247	247
215/75-																250	250	250	250
205/65-																240	240	240	240
255/70-	18																266	266	
225/65-													250		K67	250	250	250	250
235/65-													255		K67	255	255	255	255
255/65-															K77				
225/60-							105	105	105	105			247	K56	K66	247	247	247	247
235/60-													247		K66	247	247	247	247
245/60-													250		K67	250	250	250	250
255/60-													265		K67	265	265	265	265
265/60-													265		K77	265	265	265	265
275/60-															K77	267	267	267	267
285/60-																266	266		
205/55-				K44															
215/55-				K45	103	103	103	103	103	103	103		235			235	235	235	235
225/55-		104	104	K45									240			240	240	240	240
235/55-							105	105	105	105			245	K55		245	245	245	245
245/55-														K56	K66				
255/55-													255		K66	255	255	255	255
265/55-															K67				
285/55-															K77	267	267	267	267
215/50-				K34															
225/50-		104	104	K44	104	104	104	104	104	104	104								
235/50-				K45					107	104	104	104	240			240	240	240	240
245/50-			105	K45			105	105	105	105			245			245	245	245	245
255/50-														K55					
265/50-														K56	K66				
275/50-														K56	K66				
285/50-															K66	255	255	255	255
205/45-				K23															
215/45-		097	097	K33	097	097	097	097	097	097	097	097							
225/45-		100	100	K34	100	100	100	100	100	100	100	100							
235/45-		102	102	K34	102	102	102	102	102	102	102	102							

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)



Tyre size	Inches	Passenger Cars											SUVs			SUVs - Commercial Vehicles - Motor Homes			
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16
245/45-	18	104	104	K44	104	104	104	104	104	104	104	104				235	235	235	235
255/45-		104	104	K44	104	104	104	104	104	104	104	104	240			240	240	240	240
265/45-				K45															
275/45-				K45															
285/45-																			
295/45-																			
205/40-				K22	085	085	085												
215/40-		095	095	K23	095	095	095	095	095	095	095	095							
225/40-		097	097	K23	097	097	097	097	097	097	097	097							
235/40-		100	100	K33	100	100	100	100	100	100	100	100							
245/40-		102	102	K33	102	102	102	102	102	102	102	102							
255/40-		104	104	K34	104	104	104	104	104	104	104	104							
265/40-				K34															
275/40-				K44															
285/40-				K44					117										
295/40-				K45															
215/35-				K12															
225/35-				K22															
235/35-				K22															
245/35-		097	097	K22	097	097	097	097	097	097	097	097							
255/35-		102	102	K23	102	102	102	102	102	102	102	102							
265/35-				K23															
275/35-				K33	103	103	103	103	103	103	103								
285/35-				K33															
295/35-				K34															
225/30-				K11															
255/30-				K12															
265/30-				K22															
285/30-				K22															
295/30-				K23							104								
235/65-	19																		
225/55-								105	105	105	105		247	K56	K66	247	247	247	247
235/55-													250		K66	250	250	250	250
255/55-													265		K67	265	265	265	265
265/55-													267		K77	267	267	267	267
275/55-															K77		266	266	
235/50-													247	K55	K66	247	247	247	247
245/50-															K66				
255/50-													255		K66	255	255	255	255
265/50-													265		K67	265	265	265	265
275/50-															K67				
225/45-				K44															
235/45-		104	104	K45	104	104	104	104	104	104	104	104	240			240	240	240	240
245/45-			105	K45			105	105	105	105			245			245	245	245	245
255/45-															K55	245	245	245	245
265/45-															K56	K66			
275/45-															K56	K66	255	255	255
285/45-																K66	265	265	265
295/45-																K67			
225/40-		102	102	K34	102	102	102	102	102	102	102	102				230	230	230	230
235/40-		102	102	K34	102	102	102	102	102	102	102	102							
245/40-		103	103	K44	103	103	103	103	103	103	103								
255/40-				K44									240			240			
265/40-				K45															
275/40-				K45					117										
285/40-																			
295/40-																			
215/35-				K23															
225/35-				K23															
235/35-		100	100	K33	100	100	100	100	100	100	100	100							
245/35-		102	102	K33	102	102	102	102	102	102	102	102							
255/35-		104	104	K34	104	104	104	104	104	104	104	104							
265/35-				K34						104		104							
275/35-				K44						106									
285/35-				K44						117									
295/35-				K44															
225/30-				K22															

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)

Tyre size	Inches	Passenger Cars										SUVs			SUVs - Commercial Vehicles - Motor Homes							
		Thule Easy-fit CU-9	Thule Easy-fit CU-10	Thule K-Sum.	Thule CK-7	Thule CS-9	Thule CS-10	Thule CL-10	Thule CG-9	Thule CG-10	Thule CD-9	Thule CB-12	Thule Easy-fit SUV	Thule K-Sum. XL	Thule K-Sum. XXL	Thule XG-12 Pro	Thule XS-16	Thule XD-16	Thule XB-16			
245/30-	19			K23																		
255/30-		102	102	K23		102	102	102	102	102	102	102										
265/30-				K23																		
275/30-				K33	104	104	104	104	104	104	104	104										
285/30-				K33																		
295/30-				K34																		
235/55-	20														255		K77	255	255	255	255	
255/55-																	K77					
245/50-															255		K67			255	255	
255/50-															265		K67	265	265	265	265	
265/50-															267		K77	267	267	267	267	
275/50-																	K77		266	266		
285/50-																		266	266			
235/45-																						
245/45-										117									247	247	247	247
255/45-															255							
265/45-															255							
275/45-																			265	265	265	265
285/45-																						
295/45-																						
305/45-																						
225/40-					K44																	
235/40-					K45																	
245/40-					K45																	
255/40-												117										
265/40-																			247	247	247	247
275/40-																			255	255	255	255
285/40-																						
295/40-																						
225/35-					K34																	
245/35-					K44	104																
255/35-					K44						106											
265/35-					K45				105	105	105	105										
275/35-					K45						117											
285/35-																						
295/35-																						
315/35-																						
225/30-					K23																	
235/30-					K33																	
245/30-					K33																	
255/30-				K34																		
265/30-				K34	104				104	104	104	104	104	104	104							
275/30-				K34																		
285/30-				K44					105	105	105	105										
295/30-				K44																		
255/50-	21																					
265/45-															265			K77	265	265	265	265
275/45-																						
285/45-																						
265/40-																						
275/40-																						
295/40-																						
245/35-					K45																	
255/35-																						
275/35-																						
285/35-																						
295/35-																						
275/30-				K45																		
285/30-				K45																		
325/30-																						
275/40-	22																					
265/35-																						
285/35-																						
265/30-																						
285/30-																						
295/30-																						
295/25-																						

**PLEASE NOTE:** The info in this fitting guide describes matching the tyre size and the chain size only and does not take into consideration the vehicle's features. Discover the correct snow chain model/size for your vehicle in our "Fit Guide" at [www.thule.com](http://www.thule.com)



## › The world of Thule.

### **www.thule.com**

If you want to find the right snow chain for your needs, this is the perfect time to visit our web site [thule.com](http://thule.com) and take another look at the world of Thule.

You will discover our wide range of snow chains models and the practical "Fit Guide" will help you to find the product that fits your model of car.



### **FIT GUIDE**

One of the main functions on [thule.com](http://thule.com) is the "Fit Guide". Select "Snow Chains" and follow the easy steps to find the right snow chain model and size for your vehicle and your nearest dealer. The "Fit Guide" is available on our mobile site too: [www.m.thule.com](http://www.m.thule.com), check it out on your tablet or smartphone.





## » PART OF THULE GROUP

### THULE IN SOCIAL MEDIA

Experience Thule to the full via our other media channels.

Visit us on Facebook or try our Youtube channel, which among other things, contains a number of product films.

[www.facebook.com/thulebringyourlife](http://www.facebook.com/thulebringyourlife)

[www.youtube.com/thulebringyourlife](http://www.youtube.com/thulebringyourlife)

### THULE GROUP

Thule is a part of Thule Group, a collection of international brands that have one common mission: developing smart ways to simplify your active life.

### UFFICI THULE

Thule GmbH  
Dreichlingerstraße 10  
92318 Neumarkt/Opf.  
**Germany**  
+49 9181 9010

Thule S.p.A.  
Viale Lombardia, 8  
23847 Molteno LC  
**Italy**  
sc.tech.support@thule.com

Thule Ltd  
Units 1-3 Two Counties Estate  
Off Falconer Road  
Haverhill - Suffolk CB9 7XZ  
**United Kingdom**  
techsupport@thule.co.uk

Thule s.r.o.  
Kodaňská 46  
101 00 Prague 10  
**Czech Republic**  
thule@thule.cz

Thule N.V.  
Kortrijkstraat 343  
8930 Menen  
**Belgium**

Thule Sweden AB  
P.O. Box 69  
330 33 Hillerstorp  
**Sweden**  
+46 370 25500  
info@thule.com

Thule SARL  
8 Rue de la Jacquère ZA Plan de Cumin  
73800 Les Marches  
**France**  
contact@konig.fr



### EUROPEAN REGULATIONS ABOUT WINTER CIRCULATION

The European regulation for the snow chains use may change country by country:

- legal obligation to carry snow chains
- legal obligation to carry snow chains for residents  
no legal obligation to carry snow chains for tourists
- no legal obligation to carry snow chains

#### Notes

In Italy, many sections of motorway require drivers to carry chains with them and many provinces and regions are issuing snow regulations for the current winter season.

In Austria, the obligation to carry snow chains is in effect from 11-1 until 4-15.

In Finland and Estonia, the obligation to carry snow chains is in effect from 12-1 until 2-28.

In Slovenia and Macedonia, the obligation to carry snow chains is in effect from 11-15 until 3-15.

In Lithuania, the obligation to carry snow chains is in effect from 11-1 until 4-1.



**Thule S.p.A.**

Viale Lombardia, 8 - 23847 Molteno (Lecco) - Italy

Tel +39 031 8544555 - Fax +39 031 8544500

[www.thule.com](http://www.thule.com)



2019501080/0413 - 8005438019381 - Local variations in product range may occur and products may be subject to change without prior notice. We are not liable for any errors that may exist in the catalogue.

